



A



B



C



D



E



F



### A. All-Purpose Mechanical Receiving Scale

Durable, multi-ribbed platform. Memory Lock™ holds weight reading when display is covered by an oversize package. Low platform design allows for cartons to easily slide onto scale, improving employee safety. Measures in 1-lb. increments. Precise zero reset adjust knob. 250-lb. capacity. 13¼ x 10½ platform. 2 scales per case.

PEL P250S Each 162.00

### B. Heavy-Duty Digital Dual Capacity Receiving Scales

Detachable LCD display on 9-ft. cord allows viewing at eye level. Tare feature removes the weight of the container. Auto-off and low-battery warning. Strong, durable reinforced steel design handles heavy packages and containers. Nonskid platform. Includes AC adapter; optional 9V battery operation (battery not incl.). 12½w x 12d x 2¼h. 2 scales per case.

No.	Capacity	Measurement	Each
PEL 4010-88	150-lbs.	0.2-lb./0.1kg increments	242.00
PEL 4040-88	400-lbs.	0.5-lb./0.2kg increments	282.00

### C. Mechanical Portion Scales

Rotating dial for easy tare. Platform may be used as a handle. Rust-proof anodized aluminum chassis will not corrode. Stainless steel platform and bezel are easy to clean and sanitary. Alignment notch for precise and quick zero reset. NSF certified.

No.	Capacity	Measurement	Each
PEL YG180R	5-lbs.	½-oz. increments	104.00
PEL Y32R	32-oz.	¼-oz. increments	106.00

### D. Mechanical Portion Control Scale

Great for food processing use. Rotating dial for easy tare. Alignment notch for precise and quick zero reset. Stainless steel construction will not rust. Dishwasher-safe housing and platform remove easily without tools. NSF Certified. Platform can serve as a handle; precise factory calibration eliminates the need for field calibration. 30-degree angled, easy-to-read, shatter-resistant lens. Rotating dial for multiple ingredient weighing. Measures in ¼-oz. increments. 32-oz. capacity. 7¾w x 5½d x 8½h. 6 scales per case.

PEL 632SRW Each 162.00

### E. Compact Digital Portioning Scale

Dishwasher-safe, removable stainless steel platform. Quick punch-button tare/zero weighs contents, not the container. Selectable units in fractions, decimals or grams. Conformal coated for operation in walk-in refrigerators. Auto shut-off after five minutes of inactivity extends battery life (option to disassemble). 10-lb. over-load protection. AC adapter, 17 hour rechargeable battery (not incl.), 9V battery (not incl.). 32-oz. capacity. 4 scales per case.

PEL FS288 Each 151.00

### F. High Performance Digital Portion Control Scale

Dishwasher-safe, removable stainless steel platform. Quick punch-button tare/zero weighs contents, not the container. Selectable units in fractions, decimals or grams. Conformal coated for operation in walk-in refrigerators. Auto shut-off after five minutes of inactivity extends battery life (option to disassemble). 250-lb. over-load protection. AC adapter, 9V, 50 hour rechargeable battery (not incl.). 32-oz. capacity.

PEL FS2P88 Each 274.00

**DON'T FORGET!**



**MECHANICAL THERMOMETERS**

• NSF Certified.

**A. Dishwasher-Safe Dial Pocket Thermometer**

Great for food processing and pasteurization. Built-in sheath calibration tool. Shatter-resistant lens. Stainless steel construction. Dishwasher-safe for quick, complete cleanup. Includes sheath with pocket clip. Measures 0°F to 220°F. 1-in. dial, 5-in. probe.

PEL THP220DS **Each 9.00**

**B. Pocket Thermometer**

Great for food preparation. Shatter-resistant lens. Built-in sheath calibration tool and stainless steel construction. Includes sheath with pocket clip. Measures 0°F to 220°F. 1-in. dial, 5-in. probe.

PEL THP220C **Each 7.20**

**C. Refrigerator/Freezer Thermometer**

Hangs or stands for easy installation. HACCP Safe Zones. Large easy-to-read dial. Stainless steel.

PEL R80GC **Each 7.90**

**D. Refrigerator/Freezer Thermometer**

Large, easy-to-read dial with clearly marked temperatures for accurate reading. Measures -20°F to 80°F/-30°C to 30°C. Hangs or stands for easy installation. Stainless steel construction with shatter-resistant lens. HACCP Safe Zones.

PEL R80DC **Each 11.20**

**DIGITAL THERMOMETERS**

IP54 waterproof rating for ease in cleaning. Large, easy-to-read digital display. Max./Min. temperature memory plus hold feature. Auto-off conserves power. NSF Certified.

**E. Dishwasher-Safe Digital Thermometer**


Simple push-button user calibration for long-term reliability. Max./min. hold modes. Fahrenheit/Celsius switchable. Protective sheath included.


PEL TMP1000 **Each 45.40**

**F. Thermocouple Digital Thermometer**

Standard Type-K thermocouple probe; designed for built-in storage and protection. Max./Min. hold feature. Includes travel pouch for extra protection. CE Approved. Auto off to preserve battery life. Requires one 9V battery (incl.). Measures -50°F to 450°F/-40°C to 230°C thermocouple; 2w x 1½d x 9½h.

PEL TMP2000 **Each 306.00**






\$\$\$ SAVER

Hand washing is recognized by the Centers for Disease Control and Prevention (CDC) as one of the most important means of preventing germs from spreading. On the flu alone, Americans spend \$1.3 billion on direct medical costs. Lost productivity in the workplace can add another \$15 billion to the annual tab.

<http://www.acessexcellence.org/AE/AEC/CC/hand-background.php>





## IMPACT

### HAIR RESTRAINTS

Essential for food processing and handling areas, hospitals, labs and manufacturing facilities. FDA Accepted. 100 hair restraints per bag.

#### A. Nylon Hairnet

Black. Large (21-in.) size.

IMP 7386K21

Bag 42.60

#### B. Spun Bonded Bouffant

White. Large (21-in.) size.

IMP 7387W21

Bag 11.60



#### C. Royal Pleated Chef Hat

Elegant, fully pleated design. Made of high-quality paper for increased comfort and durability. Royal line sweatband for longer wear. Seven-hole vented top increases airflow and comfort. Biodegradable and nontoxic. White. Adjustable size.

No.	Height (Inches)	Case Qty.	Case
RPP RCH7	7	28	45.00
RPP RCH9	9	24	38.60
RPP RCH10	10	24	40.00

#### D. Royal Fluted Chef Hat

Fluted paper features a peel-and-stick adjustable tab. Disposable, lightweight and comfortable. Ready-to-wear—no assembly required. Biodegradable and nontoxic. White. Adjustable size.

No.	Height (Inches)	Case Qty.	Case
RPP SCH7	7	15	25.60
RPP SCH9	9	12	33.60
RPP SCH10	10	12	21.00

#### E. Royal Classy Cap

Made from lightweight, crepe paper for lengthy use. Biodegradable and nontoxic. Plain white. Adjustable size. 100 caps per pack. 10 packs per case (1000 caps).

RPP RCC2W

Case 149.00

#### F. Latex-Free Nylon Hairnet

Essential for use in food processing areas, hospitals, labs and manufacturing facilities. For sanitary protection. Lightweight and breathable. 100% nylon netting. Eco-friendly and biodegradable. Dark Brown. 24-in. size. 144 hairnets per pack. 20 packs per case (2880 hairnets).

RPP RPH144LTDB

Case 640.00

## BOARDWALK

#### G. Disposable Apron

Ideal for foodservice. White polyethylene, 1.0 mils thick. One size fits all. 32-in. x 50-in. 100 aprons per dispenser.

BWK 390

Dispenser 31.40

#### FDA Food Code 2-402.11 Hair Restraints

"All food employees shall wear hair restraints, such as hair coverings or nets, beard restraint and clothing that covers body hair and is designed to be worn to effectively keep hair from contacting exposed food."


**DON'T FORGET!**



**A. CUT-N-CARRY® Cutting Boards**

The only cutting boards that prevent three types of cross-contamination. The patented food safety hook ensures sanitary carrying, preventing body or apparel contact. Boards hang on wire shelving for safe drying and storage. The original Kolor-Cut® system helps monitor safe preparation of different types of foods. Durable co-polymer construction provides superior heat, chemical and warp resistance in commercial dishwashers. Tough surfaces won't dull knives and prevent unsafe cut grooving where dirt and bacteria can hide. The cutting board choice of professional chefs worldwide. 15w x 20d x 1/2h. Shpg. wt. 32-lbs.

No.	Color	Each
SAN CB152012GN	Green	37.50
SAN CB152012RD	Red	37.50
SAN CB152012WH	White	29.10
SAN CB152012YL	Yellow	37.50



**B. Saf-T-Grip® Board-Mate®**

Prevent potentially dangerous slips and avoid cross-contamination by placing the Board-Mate® grip system under cutting boards. Stops cutting boards from sliding on virtually every work surface. NSF Listed and dishwasher safe. Avoid the traditional and unsafe "wet towel" method to reduce hazards.

SAN CBM1318	Each	23.55
-------------	------	-------



**C. Cutting Board Rack**

Sturdy, powder-coated cutting board rack accommodates up to six cutting boards. Rack helps to keep the kitchen organized and with the drying process of the cutting boards after each wash. The wire rack features six brush hooks on the sides for hanging brushes which are color-coded to match their respective cutting boards (sold separately). Actual rack size: 12w x 9 1/4d x 10 1/4h.

THU PLCBR006	Each	36.40
--------------	------	-------



**BOARDWALK**

**D. Cutting Board Brushes**

Sturdy polypropylene block has a hanging hole and water-resistant, medium stiff polyester bristles for heavy-duty cleaning. Bristles are color-coded to prevent cross-contamination. 6l x 2 1/2w.

No.	Color	Each
BWK FSCBWH	White	10.95
BWK FSCBYL	Yellow	10.95
BWK FSCBRD	Red	10.95
BWK FSCBGRN	Green	10.95




See Pg. 292 for **KLEEN PAILS™**

For health and safety purposes, it is important to differentiate between cleaners for foodservice surfaces and other cleaners. Other surface cleaners contain higher and more toxic amounts of cleaning agents. Thus, using the wrong cleaner on a foodservice surface could have severe consequences. Kleen Pails™ meet HACCP guidelines to help separate containers for food and non-food surface cleaning.



Turners • Scrapers • Professional Cutlery



**A. High-Heat Scrapers**

All-purpose scratch- and melt-resistant scrapers resist heat up to 500°F/260°C. Clean-Rest™ feature keeps blade off countertops, reducing cross-contamination. Stain-resistant blades will not scratch grill or cookware. Cool-touch handle for safety. Certified to NSF Standard #2. Commercial dishwasher safe. White blade, red handle.

No.	Length	Each
RCP 1962 RED	9½-in.	17.70
RCP 1963 RED	13½-in.	22.95
RCP 1964 RED	16½-in.	29.70

**B. Cold Scrapers**

Clean-Rest™ feature keeps blades off counter tops. Flat blade molded onto handle for a permanent bond. Seamless construction prevents dirt or bacteria buildup. Commercial dishwasher safe. NSF Certified. White.

No.	Length	Each
RCP 1901 WHI	9½-in.	3.38
RCP 1905 WHI	13½-in.	5.85
RCP 1906 WHI	16½-in.	7.80



**C. Sani-Safe® 8" x 3" Cake Turner**

Built to be tough and sanitary. A textured, slip-resistant, easy-to-clean polypropylene handle withstands both high and low temperatures. An impervious blade-to-handle seal provides the utmost in sanitary qualification. Stain-free, high carbon steel blade, with an individually ground and honed edge, excels in commercial use. NSF Certified.

No.	Handle Color	Each
DRI 019693	White	59.00
DRI 019693G	Green	64.10
DRI 019693R	Red	64.10
DRI 019693Y	Yellow	64.10

**D. 3¼" Paring Knives**

Stain-free, high-carbon steel blade, with an individually ground and honed edge; excels in commercial use. Built to be both tough and sanitary. Impervious blade-to-handle seal provides the utmost in sanitary qualification. Withstands both high and low temperatures. Textured, slip-resistant and easy-to-clean polypropylene handle. NSF Certified. Made in the USA.

No.	Handle Color	Each
DRI 015303G	Green	16.70
DRI 015303	White	15.50
DRI 015303R	Red	16.70
DRI 015303Y	Yellow	16.70

**E. 6" Narrow Boning Knives**

Built to be both tough and sanitary. Polypropylene handle withstands both high and low temperatures. Impervious blade-to-handle seal provides the utmost in sanitary qualification. Handle is textured, slip-resistant and easy to clean. Stain-free, high-carbon steel blade, with an individually ground and honed edge; excels in commercial use. NSF Certified. Made in the USA.

No.	Handle Color	Each
DRI 01563G	Green	48.30
DRI 01563	White	46.00
DRI 01563R	Red	48.30
DRI 01563Y	Yellow	48.30

**F. 10" Cooks Knives**

A textured, slip-resistant, easy-to-clean polypropylene handle withstands both high and low temperatures. Built to be both tough and sanitary. Impervious blade-to-handle seal provides the utmost in sanitary qualification. Stain-free, high-carbon steel blade, with an individually ground and honed edge; excels in commercial use. NSF Certified. Made in the USA.

No.	Handle Color	Each
DRI 012433G	Green	83.50
DRI 012433	White	79.00
DRI 012433R	Red	83.50
DRI 012433Y	Yellow	83.50





**ROUND STORAGE CONTAINERS**

Semi-clear polypropylene for visibility. Stackable and nestable for compact storage. Easy-grip handles. Dishwasher safe. NSF Certified. Temperature range: -20°F/-34°C to 150°F/71°C. Lids and containers sold separately.

No.	Each
<b>A. 2-qt. Capacity</b> —8½ dia. x 4h. RCP 5720-24 CLE	<b>4.80</b>
<b>B. 4-qt. Capacity</b> —8½ dia. x 7¾h. RCP 5721-24 CLE	<b>7.05</b>
<b>C. 6-qt. Capacity</b> —10 dia. x 7¾h. RCP 5723-24 CLE	<b>8.25</b>
<b>D. 12-qt. Capacity</b> —13½ dia. x 8¾h. RCP 5726-24 CLE	<b>17.10</b>
<b>E. 22-qt. Capacity</b> —13½ dia. x 14h. RCP 5728-24 CLE	<b>22.95</b>
<b>22-qt. Sauce Pail</b> —(Not shown.) Removable bail for easy transport. 13½ dia. x 14h. RCP 5729-24 CLE	<b>33.45</b>



**LIDS FOR ROUND STORAGE CONTAINERS**

Locks tight to reduce leakage and help prevent spoilage. Area for dating and labeling. Dishwasher safe. NSF Certified. Yellow.

**Lid for 2- and 4-Qt. Containers**

Fits 2- and 4-qt. Round Storage Containers (sold separately). 8¾ dia. x ¾h.  
RCP 5722 YEL **Each 3.98**

**Lid for 6-Qt. Containers**

Fits 6-qt. Round Storage Container (sold separately). 10¼ dia. x 1h.  
RCP 5725 YEL **Each 4.20**

**Lid for 12- and 22-Qt. Containers**

Fits 12- and 22-qt. Round Storage Containers and 22-qt. Sauce Pail (sold separately). 13½ dia. x 1¼h.  
RCP 5730 YEL **Each 9.60**

**SQUARE SPACE-SAVING CONTAINERS**

Square containers store up to 25% more on a shelf than round containers. Break-resistant, clear plastic for visibility and long life. Smooth interiors for easy cleaning, dishwasher safe. Precise measurement graduations—red for U.S., blue for metric. Easy-grip, pocket-style handles with drain holes. Stack in use and nest for compact storage. NSF Certified. Temperature range: -40°F/-40°C to 212°F/100°C. Lids and containers sold separately.

**F. 8¾ x 8⅝ Square Containers**

No.	Capacity	Height	Each
RCP 6302 CLE	2-qt.	2⅞-in.	<b>10.50</b>
RCP 6304 CLE	4-qt.	4¾-in.	<b>15.15</b>
RCP 6306 CLE	6-qt.	6⅝-in.	<b>18.90</b>
RCP 6308 CLE	8-qt.	8¼-in.	<b>21.60</b>



**Lid for Square Containers**


Durable, white polyethylene. Snap-tight fit reduces leakage, helps prevent spoilage. Dishwasher safe. Area for date control feature for inventory. Pull-tab with grip ribs. Fits 2-, 4-, 6- and 8-qt. Square Containers (sold separately).

RCP 6509 WHI **Each 6.75**





A



B



C



D



**A. Bouncer® Measuring Cups**

Clear, break-resistant plastic. Commercial dishwasher safe. Temperature range: -40°F/-40°C to 212°F/100°C. Withstands freezer cold and steam-cleaning heat. Measurement markings are hot-stamped in red for U.S., blue for metric. Certified to NSF/USDA Standard #2. USDA Meat & Poultry Equipment Group Listed.

No.	Capacity	Each
RCP 3210 CLE	1-cup	9.60
RCP 3215 CLE	1-pint	16.50
RCP 3216 CLE	1-qt.	18.15
RCP 3217 CLE	2-qt.	24.90
RCP 3218 CLE	4-qt.	27.15



**B. Saf-T-Scoop® & Guardian System™ for Ice Machines**

A revolutionary design that makes filling ice totes safer, faster and easier. Saf-T-Scoop® allows mounding of ice without spilling, reducing the number of scoops to fill ice totes by up to 50%. Ergonomically angled handle provides outstanding balance and comfort. Angled chute directs ice right into the ice tote. Guardian provides safe, dedicated scoop storage and mounts inside or outside of the ice bins with included wireforms and hardware. Durable polycarbonate construction, dishwasher safe. NSF Listed.

SAN SI9000	Each	108.75
------------	------	--------

**C. Saf-T-Ice® Snap-Tight Lid**

Keep your ice protected during transport with the lid designed especially for the Saf-T-Ice® tote. Perfect for locations, including portable bars to fill small service bins, remote or outdoor catering and customer areas such as restaurants, bars or pool side.

SAN SI6500	Each	4.05
------------	------	------

**D. Original Saf-T-Ice® Tote**

Saf-T-Ice® tote is ideal for safe ice transport. Provides high capacity carrying (25-lbs. when filled). HACCP Hanger™ keeps tote at waist-height to minimize back injuries. Tri-Grip™ design allows for handling overhead at or below waist. Handi-Hook™ makes sanitary storage easy.

SAN SI6000	Each	46.80
------------	------	-------



**\$\$\$ SAVER**

A California utility company promotes energy efficiency ideas for the commercial foodservice kitchen; many of these ideas apply to any space. Consider two simple tips relating to hot water systems. Insulate the pipes distributing hot water through the facility. The utility company's case-study casual dining restaurant used about 2000 gallons of hot water a day, and \$20 worth of foam insulation saved more than \$300 per year in energy to heat the water tank.

<http://www.fishnick.com/saveenergy/greensheets/>





## ProServe® Ice Handling System

- Reduces the risk of cross-contamination and improves employee safety.

### A. ProServe® Scoop with Hand Guard

Angled handle positioned over ice cavity protects hand from contacting ice, reducing risk of cross-contamination. Relieves wrist strain. Reinforced leading edge improves durability. Combines with an open style Scoop Holder (sold separately) when stored. NSF Certified and dishwasher safe. Transparent Blue. 11.97l x 6.7w x 7.72h. Shpg. wt. 7.10-lbs.

RCP 9F50 **Each 29.70**

### B. Scoop Holder

For use with 74-oz. Scoop with Hand Guard (sold separately). Open for air drying to reduce the risk of mold and bacteria growth. 10.05l x 7.48w x 5.43h. Shpg. wt. 5.83-lbs.

RCP 9F43 **Each 23.85**

### C. Ice Tote Lid

The ice tote lid fits securely on the Ice Tote, (sold separately) to reduce cross-contamination risk during transport by hand carry or when totes are placed on the ProServe® Ice Cart (sold separately). The ice tote lid is NSF Certified and commercial dishwasher safe. Black. 11.25w x 12l x 2h.

RCP 9F73 BLA **Each 19.35**

### D. Ice Tote with Bin Hook Adapter


Ice bin hook adapter allows the ice tote to attach to nearly any ice machine, reducing cross-contamination, ice spillage and employee back strain, while improving efficiency. The ice tote features an angled top surface and pouring spout to reduce spills. Fits in most commercial dishwashers and includes a rear hang hook for upside down drying. Ergonomic comfort grip allows for safe transfer and ease of use. NSF Certified. 5.5-gallon, 25-lb. capacity. Dedicated ice only. Blue tint. 13.3w x 12.2l x 22.1h.

RCP 9F54 TBL **Each 78.00**


### E. ProServe® Ice Cart

Holds two or four Ice Totes (sold separately). Ice cart safely and securely transports 100-lbs. of ice. Handle folds flat for storage. Includes hook for on-board storage of Ice Tote Lids (sold separately). Metal components for handle and side rails, structural foam deck. Four 5-in. nonmarking casters transport up to 500-lbs. Black. 21.4-in. wide, 39.1-in. length.

RCP 9F55 BLA **Each 519.00**



Hot/Cold Food Pans & Covers



See-through, durable plastic food pans are break-resistant—won't rust, dent or bend. Quieter than metal. Steep walls hold more, minimizing refills and overfills. Quart and liter measurement markings show content level. Time coding detail for marking the time when food is set out. Pans nest for compact storage. Covers have deep molded handles with secure finger grips and windows for date coding and labeling contents. Odor-resistant and stain-resistant. NSF Certified. Made of FDS Compliant materials.

**HOT FOOD PANS & COVERS**

Non-stick surfaces for easy food release and cleaning. Pans and covers are dishwasher- and microwave-safe. Designed for safety—cooler touch than metal. Temperature range: -40°F to 375°F. Not for use with open flame. Steam table-, well oven- and microwave-safe. Covers sold separately. Amber color.

No.	Height (Inches)	Capacity	Each
<b>A. 1/6 Size—6<math>\frac{1}{8}</math> x 6<math>\frac{1}{8}</math>.</b>			
RCP 205P AMB	4	1 $\frac{1}{3}$ -qt.	<b>20.25</b>
RCP 206P AMB	6	2 $\frac{1}{2}$ -qt.	<b>25.05</b>
<b>B. 1/3 Size—6<math>\frac{1}{8}</math> x 12<math>\frac{1}{8}</math>.</b>			
RCP 217P AMB	4	4-qt.	<b>28.05</b>
RCP 218P AMB	6	5 $\frac{5}{8}$ -qt.	<b>42.45</b>
<b>C. 1/2 Size—10<math>\frac{3}{8}</math> x 12<math>\frac{1}{8}</math>.</b>			
RCP 224P AMB	4	6 $\frac{3}{8}$ -qt.	<b>36.45</b>
RCP 225P AMB	6	9 $\frac{1}{3}$ -qt.	<b>48.30</b>
<b>D. Full Size—12<math>\frac{1}{2}</math> x 20<math>\frac{1}{8}</math>.</b>			
RCP 232P AMB	6	20%-qt.	<b>96.75</b>

**Covers**—For Hot Food Pans (sold separately).

No.	Fits RCP	Style	Each
RCP 208P-23 AMB	205P, 206P	Peg Hole	<b>13.20</b>
RCP 221P-23 AMB	217P, 218P	Peg Hole	<b>17.40</b>
RCP 228P-23 AMB	224P, 225P	Peg Hole	<b>22.50</b>
RCP 234P AMB	232P	Solid	<b>47.85</b>

**COLD FOOD PANS & COVERS**

Lightweight, dishwasher- and microwave-safe pans with non-stick surfaces for easy food release and cleaning. For food storage and prep, deli display and cold bars. Temperature range: -40°F to 210°F. Not for use in steam table wells. Clear. Covers sold separately.

No.	Height (Inches)	Capacity	Each
<b>E. 1/6 Size—6<math>\frac{1}{8}</math> x 6<math>\frac{1}{8}</math>.</b>			
RCP 105P CLE	4	1 $\frac{1}{3}$ -qt.	<b>8.40</b>
RCP 106P CLE	6	2 $\frac{1}{2}$ -qt.	<b>11.55</b>
<b>F. 1/3 Size—6<math>\frac{1}{8}</math> x 12<math>\frac{1}{8}</math>.</b>			
RCP 117P CLE	4	4-qt.	<b>13.80</b>
RCP 118P CLE	6	5 $\frac{5}{8}$ -qt.	<b>15.75</b>
<b>G. 1/2 Size—10<math>\frac{3}{8}</math> x 12<math>\frac{1}{8}</math>.</b>			
RCP 124P CLE	4	6 $\frac{3}{8}$ -qt.	<b>15.45</b>
RCP 125P CLE	6	9 $\frac{1}{3}$ -qt.	<b>19.65</b>
<b>H. Full Size—12<math>\frac{1}{8}</math> x 20<math>\frac{1}{8}</math>.</b>			
RCP 132P CLE	6	20%-qt.	<b>33.90</b>

**Covers**—For Cold Food Pans (sold separately). Clear.

No.	Fits RCP	Style	Each
RCP 108P-23 CLE	105P, 106P	Peg Hole	<b>8.25</b>
RCP 121P-23 CLE	117P, 118P	Peg Hole	<b>8.25</b>
RCP 128P-23 CLE	124P, 125P	Peg Hole	<b>11.25</b>
RCP 134P CLE	132P	Solid	<b>19.95</b>





**FOOD BOXES**

• Standard industry sizes accommodate existing storage racks and counters

Durable food storage boxes and lids reduce food spoilage. Clear plastic for visibility and stain resistance; white polyethylene for more economical storage and transport. Tight-fitting, snap-on lids double as bun pans or cold food trays. Dishwasher- and freezer-safe. Easy-grip handles and date control panels on boxes and lids for inventory control. NSF Certified.

**Size 18 x 26**—Boxes and lids sold separately.

No.	Color	Each
<b>A. 5-Gallon</b> —3½" high.		
RCP 3306 CLE	Clear	49.20
<b>B. 8½-Gallon</b> —6" high.		
RCP 3308 CLE	Clear	60.90
RCP 3508 WHI	White	46.65
<b>C. 12½-Gallon</b> —9" high.		
RCP 3300 CLE	Clear	80.25
RCP 3500 WHI	White	60.75
<b>D. 21½-Gallon</b> —15" high.		
RCP 3301 CLE	Clear	120.75
RCP 3501 WHI	White	90.00

**Clear Lid**—18 x 26. Fits 18 x 26 Food Boxes.

RCP 3302 CLE	Each	33.60
--------------	------	-------

**White Lid**—18 x 26. Fits 18 x 26 Food Boxes.

RCP 3502 WHI	Each	26.40
--------------	------	-------

**Size 18 x 12**—Boxes and lids sold separately.

No.	Color	Each
<b>E. 2-Gallon</b> —3½" high.		
RCP 3307 CLE	Clear	27.30
RCP 3507 WHI	White	21.30
<b>F. 3½-Gallon</b> —6" high.		
RCP 3309 CLE	Clear	34.20
RCP 3509 WHI	White	26.40
<b>G. 5-Gallon</b> —9" high.		
RCP 3304 CLE	Clear	45.90

**Clear Lid**—18 x 12. Fits 18 x 12 Food Boxes.

RCP 3310 CLE	Each	16.80
--------------	------	-------

**White Lid**—18 x 12. Fits 18 x 12 Food Boxes.

RCP 3510 WHI	Each	15.45
--------------	------	-------

**H. ProSave® Dual Action Food Box Lids**

Save time and money with the ProSave® food box system. Slides back or flips up without having to remove the whole lid, improving ease of access and reducing the risk of cross-contamination. Integrated lid locks onto food box for secure food coverage. Fits all brands of clear, food boxes. NSF Certified.

No.	Size	Each
RCP 3305 CLE	18 x 12	29.40
RCP 3311 CLE	26 x 18	49.20

**I. ProSave® Drain Trays for Food Boxes**


Domed design helps to drain liquid from tray improving airflow circulation during storage. Save time and money with the ProSave® food box system. Two sizes of drain trays to fit all sizes of food boxes. NSF Certified.

No.	Size	Each
RCP 3314 CLE	18 x 12	13.50
RCP 3318 CLE	26 x 18	31.20

**J. ProSave® Colander for Food Box**

Save time and money with the ProSave® food box system. 8-in. colander for 9-in. or deeper food boxes has easy lift handles and domed design to promote liquid drainage. 5-in. colander for 6-in. or deeper food boxes. NSF Certified.

RCP 3322 CLE	Each	88.50
--------------	------	-------



Ingredient Bins • Scoops



**A. ProSave® Shelf Ingredient Bins**

Provides improved safety and productivity. Dual opening/closing allows for one-handed access while stacked, on a shelf or under a prep table. Integrated two-cup safety portioning scoop and hook comply with the FDA Food Code 3-304.12. FIFO (First In, First Out) Barrier aids proper rotation of ingredients. Lid locks onto base to protect ingredient integrity. Front and rear handles for safe, stable portability. White with clear lid for quick identification of contents. NSF Certified.

No.	Capacity (Cu. Ft.)	Size (W x L x H)	Shpg. Wt.	Each
RCP 9G57 WHI	<sup>209</sup> / <sub>250</sub>	11½ x 23½ x 16½	13¼-lbs.	<b>220.50</b>
RCP 9G58 WHI	<sup>167</sup> / <sub>100</sub>	19¾ x 23½ x 16½	18½-lbs.	<b>313.50</b>

**B. ProSave® Slant Front Ingredient Bins**

- Provides mobile bulk storage of ingredients
- Lightweight, easy to transport
- Enables 55% productivity savings
- Certified NSF #2

Sliding lid. Scoop hook keeps scoop in the bin, but out of ingredient, preventing cross-contamination. Seamless construction and rounded corners for easy cleaning. Two-piece lid slides back or flips up for easy access. 3-in. extra-wide casters, two swivel. White with clear lid for quick identification of contents. Includes 32-oz. Bouncer® scoop.

No.	Capacity (Cu. Ft.)	Size (W x L x H)	Shpg. Wt.	Each
RCP 3600-88 WHI	2¾	13⅞ x 29¼ x 28	30-lbs.	<b>508.50</b>
RCP 3602-88 WHI	3½	15½ x 29½ x 28	32-lbs.	<b>537.00</b>
RCP 3603-88 WHI	4½	18 x 29¾ x 28	35-lbs.	<b>546.00</b>

**MULTIPURPOSE SCOOPS**

Designed for better weight distribution and improved handling. Durable clear plastic. Easy to clean; dishwasher safe.

**C. Bouncer® 32-oz. Contour Scoop**

NSF Certified. Clear.			
RCP 9F75 CLE		Each	<b>15.75</b>

**D. Bouncer® 6-oz. Bar Scoop**

NSF Certified. Clear.			
RCP 2882 CLE		Each	<b>9.00</b>





**Carts & Racks for Ingredient Bins**

Maximize your storage capacity. Cart and mobile rack shelves have safety positioning locators to securely store and transport bins. Four 5-in. nonmarking casters. Chrome.

**A. Cart for Shelf Ingredient Bins**

Two shelves, each shelf holds four 40 cup bins RCP 9G60, two 100 cup bins RCP 9G57 WHI, or one 200 cup bin RCP 9G58 WHI—all bins sold separately. 26w x 18d x 47½h.

RCP 9G59 **Each 442.50**

**B. Mobile Rack 38-in. wide for Shelf Ingredient Bins**

Three shelves, each shelf holds six 40 cup bins RCP 9G60, three 100 cup bins RCP 9G57 WHI, or one 200 cup bin RCP 9G58 WHI—all bins sold separately. 38w x 14d x 48¾h.

RCP 9G79 CHR **Each 442.50**

**C. Mobile Rack 50-in. wide for Shelf Ingredient Bins**

Four shelves, each shelf holds eight 40 cup bins RCP 9G60, four 100 cup bins RCP 9G57 WHI, or two 200 cup bins RCP 9G58 WHI—all bins sold separately. 50w x 18d x 67½h.

RCP 9G80 CHR **Each 615.00**

**D. Wall Mounted Rack for Shelf Ingredient Bins**

One shelf holds one 40 cup bin RCP 9G60 (sold separately). 10½w x 10½d x 7¼h. Chrome.

RCP 9G81 CHR **Each 95.25**

**E. Dunnage Racks**


Perfect for storing frozen, cold, or dry goods inventory off of the floor. 12-in. high deck meets flood safety guidelines; NSF Approved. Slotted deck allows maximum air circulation for sensitive items. Heavy-duty aluminum frame will not corrode. Freezer-safe; withstands temperatures from -20° to 120°F. Duramold™ precision engineered resin and metal composite structure for unsurpassed durability and service life. Molded-in tie-down slots for load security. Textured deck surface reduces load slippage. Perimeter deck channel retains small items. Conveniently stack to save space when not in use. Black. 24w x 48l x 12h. Load capacity 2000-lbs.

RCP 4490 BLA **Each 331.50**

**F. ProSave® Sliding Lid with Scoop**

Rotating clear sliding lid with integrated scoop storage, fits BRUTE® containers RCP 2610, RCP 2620 and RCP 2632 (sold separately). The lid allows for one-handed access and quick identification of ingredients. The sliding lid's design enhances efficient food production and improves safety compliance. NSF Certified. Optional dolly for the 20- and 32-gal. containers is sold separately. White. 17w x 17d x 4¾h.

No.	Description	Each
<b>Sliding Lid with 2-Cup Scoop</b>		
RCP 9G76 WHI	Fits 10-gal. container RCP 2610	<b>78.00</b>
<b>Sliding Lid with 3-Cup Scoop</b>		
RCP 9G77 WHI	Fits 20-gal. container RCP 2620	<b>109.50</b>
<b>Sliding Lid with 4-Cup Scoop</b>		
RCP 9G78 WHI	Fits 32-gal. container RCP 2632	<b>131.25</b>



Ingredient bin sold separately.



Pitchers • Beverage Dispenser • Youth Seats



A



B



C



D



E



F



**A. Economy Pitcher**

Durable, high-density polyethylene construction. Tight-fitting three-way lid features closed, open and slotted positions. Commercial dishwasher safe. Blue. Gallon capacity.

RCP 3063PR PER	<b>Each 16.20</b>
----------------	-------------------

**Bouncer® Pitchers**

Designed for safety and lower replacement costs. Durable pitcher resists chipping and breaking and is lighter than glass. Drip-proof spout. Handle designed for comfort and control. Dishwasher safe. Certified to NSF/USDA Std. #2. Clear.

No.	Capacity	Each
<b>B. Bouncer® Pitchers</b>		
RCP 3336 CLE	32-oz.	<b>13.20</b>
RCP 3338 CLE	60-oz.	<b>14.85</b>
RCP 3339 CLE	72-oz.	<b>19.35</b>

**C. Bouncer® II Pitcher**

RCP 3334 CLE	60-oz.	<b>17.70</b>
--------------	--------	--------------

**D. Noncarbonated Beverage Dispenser**

Durable, clear plastic tank. Includes tank, base, drain tray, lid and labels for lemonade and iced tea. Tank may be interchanged between bases. Certified to NSF/USDA Std. #18. Three-gallon capacity. 10 $\frac{3}{4}$ "w x 16 $\frac{1}{4}$ "d x 18 $\frac{1}{4}$ "h.

RCP 3358 CLE	<b>Each 229.50</b>
--------------	--------------------

**Sturdy Chair™ Youth Seats with Microban® Antimicrobial Protection**

- Microban® antimicrobial protection helps prevent the growth of stain- and odor-causing bacteria—keeps chairs looking new longer
- Designed for safety—meets ASTM, TUV and European standards
- Attractive contemporary styling complements dining rooms
- Stackable design minimizes storage space

Durable, heavy-duty molded plastic construction with platinum color that won't rust, chip or dent; cleans easily. Three-point active harness minimizes risk of injury and safety harness safely and comfortably secures child. Convenient handle in backrest for easy, one-handed maneuvering. Optional Tray (sold separately) also available. Platinum.

**E. Sturdy Chair™ Youth Seat with Wheels**

Wheels are covered to prevent damage and improve appearance. Fits under table. 23 $\frac{3}{8}$ "w x 23 $\frac{1}{2}$ "d x 29 $\frac{3}{4}$ "h. Shpg. wt. 18-lbs.

RCP 7805-08 PLA	<b>Each 357.00</b>
-----------------	--------------------

**Sturdy Chair™ Youth Seat without Wheels**

(Not shown.) 23 $\frac{3}{8}$ "w x 23 $\frac{1}{2}$ "d x 29 $\frac{3}{4}$ "h. Fits under table. Shpg. wt. 18-lbs.

RCP 7806-08 PLA	<b>Each 292.50</b>
-----------------	--------------------

**F. Optional Tray**

Designed to contain spills; easy-to-clean. Removes easily with one hand; stores under seat. Fits STURDY CHAIR™ YOUTH SEATS. 18 $\frac{1}{2}$ "w x 11 $\frac{1}{2}$ "d x 3 $\frac{1}{4}$ "h. Shpg. wt. 2 $\frac{1}{2}$ -lbs.

RCP 7815-88 PLA	<b>Each 82.50</b>
-----------------	-------------------





**A. Condiment Dispenser**

Convenient, hygienic storage for condiments, garnishes and more. Textured, see-through lid made of durable plastic features convenient finger tab for opening ease. Commercial dishwasher safe. Six one-point inserts. Black. 19 $\frac{1}{2}$ w x 6 $\frac{1}{4}$ d x 3 $\frac{3}{4}$ h.

RCP 2890 BLA **Each 98.25**



A

**B. Cutlery Bin**

Four-compartment bin is ideal for storage or dispensing of cutlery and condiment packets. Ribbed design and resin material provide strength. Comfortable handles. Dishwasher safe. Gray. NSF Certified. 11 $\frac{1}{2}$ w x 21 $\frac{1}{4}$ d x 3 $\frac{3}{4}$ h.

RCP 3362 GRA **Each 20.25**



B

**BUS/UTILITY BOXES**

Economical storage for heavy loads. Reinforced handles, bottom and ribs for long life. Rounded corners for easy cleaning; dishwasher safe. NSF Certified Std. #2.

**C. 4 $\frac{5}{8}$ -Gal.**

Gray. 20w x 15d x 5h.

RCP 3349 GRA **Each 17.10**


**7 $\frac{1}{8}$ -Gal.**—(Not shown.) Gray. 21 $\frac{1}{2}$ w x 17 $\frac{1}{8}$ d x 7h.

RCP 3351 GRA **Each 26.85**

**D. 7-Gal. Divided**

Two compartments. Brown. 21 $\frac{1}{2}$ w x 17 $\frac{1}{8}$ d x 7h.

RCP 3350 BRO **Each 30.15**



C



D



**E. Ice Chest**

Keeps beverages and perishables cold for hours. White lid for best sun reflection. Includes vented food tray. 48 quart chest holds 72, 12-oz. beverage cans. Self-draining plug and two folding handles. Blue.

RHP 2A15 MODBL **Each 62.80**

**INSULATED BEVERAGE DISPENSERS**

Keeps water or cold beverages cold for hours. Crack-resistant polyethylene for long life. Screw-top lid for a tight seal. Recessed, dripless spigot and comfortable carry handles.

**F. 5-Gal. Water Cooler**

Orange. 12 $\frac{1}{2}$  dia. x 19h.

RHP 1685 ORG **Each 57.00**

**10-Gal. Water Cooler**—(Not shown.) Orange. 16 dia. x 20 $\frac{1}{2}$ h.

RHP 1610 ORG **Each 119.00**



E



F



**G. PROSERVE® Pizza Delivery Bag**

Ideal for food delivery professionals. Four layers of insulation keep food hot for up to four hours. Easy time temperature monitoring and labeling with large identification window secured in carrier. Holds four 16-in. or three 18-in. pizzas. Constructed of durable, commercial-grade nylon with non-woven polyester insulation, expanded polypropylene interior insulation and reflective vapor barrier to evenly maintain temperature. Hook and loop closure; hanging loop for storage. Red. 19 $\frac{3}{4}$ w x 21 $\frac{1}{2}$ d x 7 $\frac{3}{4}$ h.

RCP 9F37 RED **Each 81.75**



G

